5/46

DART AEROSPACE LTD	Work Order:	24678
Description: Bracket Assembly	Part Number:	D3121-043
		D3121-044 /
<b>Dwg:</b> D3121 Rev. C2 page 1, 3, 5	Qty:	∠ Kits
D3121-043 replaces Premier P/N B30-23000-37		
D3121-044 replaces Premier P/N B30-23000-38		Page 1 of 1

Step	Location	Procedure	Ву	Date	Qty
1	DC	Issue Traveler  Dwg not required		05.10.26	4
2	MV	Cut (1) blank per D3121-13 & (1) blank per D3121-14 Cut blanks (1.00" x 2.00") x 3.250" Long Bar Material: 17-4 SS per AMS 5604/5643 (M17-4-B1.000x02.000) Batch: M4773	J.L	05-11-14	8
3	MV	Machine D3121-13 as per Folio FA329 and Dwg D3121		05.11.17	4
4	QC2	Inspect parts as they come off the CNC machine	J.L	05.11.17	4
5	MV	Machine D3121-14 as per Folio FA329 and Dwg D3121	7.1	05.11.18	4
6	QC2	Inspect parts as they come off the CNC machine	JL	05.11.18	4
7	MV	Deburr Break all sharp edges 0.005 to 0.015	7.1	05/118	4
8	MV	Scribe batch number to D3121-13 & D3121-14 at the back face.	J.L	05.11.18	8
9	QC5	Second check D3121-13 and D3121-14	Try	08/1/18	8
10	GA	Assemble D3121-043 as per Dwg D3121  Pick:  Oty Part Number Description Batch D3121-21 Bolt G24475 B D3121-241 Bearing Assembly R24777  Identify as D3121-043	136-	65.11.70	4
11	GA	Assemble D3121-044 as per Dwg D3121  Pick:  Qty Part Number Description 2 D3121-21 Bolt 3244753 2 D3121-241 Bearing Assembly 324777  Identify as D3121-044	136-		412
12	QC5	Inspect work to Step 10 & 11	B6	05.11.70	4+4
13	ST	Identify and Stock in Spacedoor cell  D3121-043 Qty  D3121-044 Qty  4	les .	20/11/21	4+4
14	AC	Parts to Stock and Prorate Cost to parts per Step 13  Cost / part:		/-/-	,,,
15	DC	Close W/O Inspect Level 21	Q	05/11/23	8

			Approved
A 02.05.21	New issue	NG	1
B 03.05.02	Reformat	KJ/RF	1
C 05.01.27	Revised Steps 10-11	KJ/JLM	Cell!

RELEASED

ALSO J

## **Dart Aerospace Ltd**

STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approvai Chief Eng / Prod Mgr	Approval QC Inspector
						<del> </del>
						1
						•
						Prod Mgr

Part No:	PA	R#: Fa	ult Category:	NCR: Yes No	DQA:	Date:	علياء
				QA: N/C C	osed:	Date:	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
	Description			Corrective Action Section B		Varification	A	A	
DATE STEP		Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date			al Approval g QC Inspecto	
	-								

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	24678
Description: Bracket	Part Number:	D3121-13
Inspection Dwg: D3121 Rev: C2		Page 1 of 1

### FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.300	+/-0.010	.302				:
0.080	+/-0.010	.081				
0.392	+0.002/-0.000	392				
0.350	+/-0.010	.351				
1.540	+/-0.010	1.540	//			
R0.250	+/-0.010	250	1			
1.800	+/-0.010	1.501				
1.370	+/-0.010					
1.050	+/-0.010					Scan't and dimension
0.420	+/-0.010					The state of the s
0.400	+/-0.010	398				
1.220	+/-0.010	1219				
2.63	+/-0.030	2.630				
2.80	+/-0.030	2.801				2
2.48	+/-0.030	2.480				
0.130	+/-0.010	133				
0.300	+/-0.010	303				
0.080	+/-0.010	.081				,
0.260	+/-0.010	260		N. 4		
0.032	+/-0.010	.033				
2010.200	+/-0.010	204	1	'		
0.400	+/-0.010	-400			,	
0.381	+/-0.010	386				

Measured by:	J.L	Audited by:	En	Prototype Approval:	N/A
Date:	05.11.17	Date:	05/11/17	Date:	N/A

Rev	Date	Change		Revised by	Approved
Α	05.02.17	New Issue	P/O D3121-043/-044	KJ/JLM (	



DART AEROSPACE LTD	Work Order:	24678
Description: Bracket	Part Number:	D3121-14
Inspection Dwg: D3121 Rev: C2		Page 1 of 1

### FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.300	+/-0.010	- 303			•	
0.080	+/-0.010	082	/			
0.392	+0.002/-0.000	-3923				
0.350	+/-0.010	349				
1.540	+/-0.010	1.540				
R0.250	+/-0.010	-250	1			
1.800	+/-0.010	1.801				
1.370	+/-0.010		** * 17.55 #THERE WAS		recommended to a state design operator includes on.	
1.050	+/-0.010				<b></b>	can't and dimensi
0.420	+/-0.010					WHAT WATER
0.400	+/-0.010	.398			-	0
1.220	+/-0.010	1.220				
2.63	+/-0.030	2.629	1			
2.80	+/-0.030	2,800				
2.48	+/-0.030	2.479				
0.130	+/-0.010	./34	<i>.</i>			
0.300	+/-0.010	.30/	1			. :
0.080	+/-0.010	.078	<b>√</b> ,		,	
0.260	+/-0.010	260		Κ.		
0.032	+/-0.010	-032				
···zo\ <del>0.200</del>	+/-0.010	205	1			
0.400	+/-0.010	.401	/,			
0.381	+/-0.010	-385				
				,		

Measured by:	J.L	Audited by:	gnl	Prototype Approval:	N/A
Date:	05.11.17	Date:	05/11/17	Date:	N/A

Rev	Date	Change		Revised by	Approved
Α	05.02.17	New Issue	P/O D3121-043/-044	KJ/JLM	[///
•					






	DESIG	*#	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA				
	CHECK	ED	APPROVED	DRAWING NO. REV. C. D3121 SHEET 1 OF 10				
	DATE		1 1	TITLE SCALE				
	04.0	2.17		BRACKET ASSEMBLY 1:2				
	Α		02.04.15	NEW ISSUE				
	Б		03.01.16	ADD RIDGES; ADD MAT'L PROP; FIX P/N				


# RELEASED

DAIL		IIILE 30AL
04.0	02.17	BRACKET ASSEMBLY 1:
Α	02.04.15	NEW ISSUE
В	03.01.16	ADD RIDGES; ADD MAT'L PROP; FIX P/N ADD -141/-143/-144/-145/-146
С	04.02.17	ADD CLEARANCE; USE -241 BEARING
CI	OF 04.03.26	397 WAS 4.00; 6.11 WAS 6.14
C2	₩ TH 04.04.26	0.230 WAS 0.238




### D3121-041 BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-33)



D3121-043 (SHOWN) / D3121-044 (OPPOSITE)
BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-37/-38)



D3121-045 (SHOWN) / D3121-046 (OPPOSITE)
BRACKET ASSEMBLY

(REPLACES PREMIER FYNINE RING 23000-35/-36)

SUBJECT TO AN EXPENSE WITHOUT NO

WORK OFF NO. 24678


Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







DESIGN	DRAWN BY		OSPACE LTD ONTARIO, CANADA
CHECKED	APPROVED	DRAWING NO.	REV. C SHEET 3 OF 10
DATE	9	TITLE	SCALE SCALE
04.02.17		BRACKET ASSEMBLY	1:1




DETAIL A: SLOT DETAIL SCALE 2:1 VIEW ROTATED





SECTION C-C

DETAIL B: RIDGE DETAIL PARTIAL SECTION SCALE 1:20



SHOULOW ACTURN TO ENGINEERING AUDIT ROULA WITHOULA A

WORK OFFICE

NO.24678


Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





DESIGN	DRAWN BY	DART AEROSE HAWKESBURY, ONTA	
CHECKED ,	APPROVED	DRAWING NO.	REV. C
1 #	1. #	D3121	SHEET 5 OF 10
DATE		TITLE	SCALE
04.02.18		BRACKET ASSEMBLY	1:2



SHUL COLA RETURN TO ENGINEE?

UNCONTRO

WITHICK

SUBJECT 🗓

D3121-13 BRACKET (SHOWN)
D3121-14 BRACKET (OPPOSITE)

1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B) WORK .

MIN ULTIMATE TENSILE STRENGTH = 150 ksi

MIN YIELD TENSILE STRENGTH = 100 ksi

2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

3) ALL DIMENSIONS ARE IN INCHES

4) BREAK ALL SHARP EDGES 0.005 TO 0.015

5) ENGRAVE DART P/N & LOGO AS SHOWN

6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

Nr. 24678



Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

#### Job Costing Report

Dart Aerospace Ltd.

Oct 25, 2005 04:04 pm

Hawkesbury

Work Order No : 0024678

Department Code:

Project Name : D3121-044
Project For : WK546

Work Order Type : Main Main WO Number :

House Part Number : D3121-044

Description : Bracket Assembly

Burden Flags . . . . . . . . . . . . . . . . . Open Invoice State : Not Invoiced Invoice Date : Invoice Number : Invoice Amount : 0.00

Manufactured : Yes

Order Entry No :

Amount Req'd: 4
Amount Done: 0
Start Date: 10-25-05

OE Value :

0.00

Est Finish Date : 11-15-05
Act Finish Date :
Drawings Reqd : No

Ok for Approval :

Est Mark Up : 0.000% Actual Mark Up : 0.000%

Approval Rec'd :

\$0 Posted to Finished Goods

		Estimated	Actual	۷ar. %	Posted	To Post
=======================================	==	=========		=======	========	==========
Material Cost	:	0.00	0.00	0.00	0.00	0.00
Engineering Hours	:	0.00	0.00	0.00		
Engineering Cost	:	0.00	0.00	0.00	0.00	0.00
Production Hours	:	,0.00	0.00	0.00		
Production Cost	:	0.00	0.00	٥٥.00	0.00	0.00
Packaging Hours	:	0.00	0.00	0.00		
Packaging Cost	:	0.00	0.00	0.00	0.00	0.00
OverHead Hours	:	0.00	0.00	0.00		
OverHead Cost	:	0.00	0.00	0.00	0.00	0.00
CNC Hours	:	0.00	0.00	0.00		
CNC	:	0.00	0.00	0.00	0.00	0.00
Misc. Hours	:	0.00	0.00	0.00		
Misc.	:	0.00	0.00	0.00	0.00	0.00
•		========	========	. ======		
Burden	:	0.00	0.00	0.00		
		========	========	======		
Total Cost	:	0.00	0.00	0.00		
Mark up	:	0.000	0.000			
Selling Cost	:	0.00	0.00			

Estimated . Actual Labour Hrs/Amount Done : 0.00 0.00 Profits/(Loss) 0.00 0.00